



Four-in-One Combination

High-carbon cadmium steel blades. Heavy aluminum knurled chuck takes all blades. Two-tone unbreakable amber handle, holds blade.

Consists of one each blades—No. 2 recessed for cross head screws, $\frac{1}{8}$ inch diameter for fine work, $\frac{3}{16}$ inch diameter for electrical and cabinet work and $\frac{1}{4}$ inch for regular work.


One on attractive card.

(40)

Each
F3626G D6C7

Each
\$0.98

Six cards in box. Wt box $1\frac{1}{2}$ lbs.



Screw Holder

Spring clip holds and sets screws tightly. For spots hard to reach. Holds screw to driver. High carbon cadmium steel blades. Shock-proof amber handles with blisterproof dome.

Set of six mounted on attractive display card as follows:

Quantity	No.	Size Blade in.	Retail Each
1	F3695G-411	$3\frac{1}{2} \times \frac{1}{8}$	\$0.30
2	F3696G-412	$4 \times \frac{3}{16}$.45
2	F3697G-413	$6 \times \frac{3}{16}$.50
1	F3698G-414	$8 \times \frac{3}{16}$.55

Set of Six
(410)


Per Set
F3694G X1D83
One set on card in box. Wt. box 1 lb.

OPEN STOCK

Each	Blade in.	Each
F3695G D2D0	(411) $3\frac{1}{2} \times \frac{1}{8}$.30
F3696G D3D0	(412) $4 \times \frac{3}{16}$.45
F3697G D3D3	(413) $6 \times \frac{3}{16}$.50
F3698G D3D7	(414) $8 \times \frac{3}{16}$.55

Six in box.

SCREW DRIVERS



Tough shock proof amber handle. Hardened tempered tool steel blades. Assortment of 24 screw drivers on attractive display card.

Quantity	Nos.	List price, Each	Retail Value
6	F3676G-801SS— $2\frac{3}{8}$ in..	\$0.15	\$0.90
6	F3495G-810SS— $4\frac{1}{4}$ in..	.25	1.50
6	F3677G-802SS—4 in....	.35	2.10
6	F3696G-829SS—6 in....	.50	3.00

\$7.50

(X877)

Per Asst.
F3600G X5D00★
One asst. in box. Wt. box 4 lbs.

Per Asst.
\$7.50

OPEN STOCK

Each	Lgth., Blade, ins.	Diam., Blade, ins.	Wt. Box, lbs.	Each
F3676G D1C0	(801SS) $2\frac{3}{8}$	$\frac{1}{8}$	3	\$0.15
F3677G D2C3	(802SS) 4	$\frac{1}{4}$	2	.35
F3495G D1C7	(810SS) $4\frac{1}{4}$	$\frac{3}{16}$	1	.25
F3692G D3C0	(829SS) 6	$\frac{1}{4}$	$2\frac{1}{2}$.45

No. 801 twenty-four, other Nos. twelve in box



Double Duty—Reversible

A perfect driver for all mechanics. Change from regular to recess driver in a jiffy.


Oil tempered high carbon steel blade with regular full ground bit on one end and cross cut tip to take Phillips recessed head screws on the other. Extra large fire-safe unbreakable amber handle. Strong chuck.

Length over all $6\frac{3}{4}$ inches.

For Phillips Size Screws, Nos. 14 or smaller
F3646G D5C3 (224) $1\frac{1}{2}$ \$0.79

One mounted on card. Six in box

SHAPLEIGH'S



"Amberlite" Composition Handle

Twelve "Amberlite" composition handle screw drivers mounted on an attractive red and black display card.

Handles are of a two tone amber and black transparent cellulose material; virtually unbreakable and shock proof. Will not soak up oil or water.

Blades forged from tool steel, full tempered and polished; embedded in handle; cannot loosen.

Contents:

Qty.	No.	Size, ins.	Type	Retail Each	Retail Value
2 Only	S500	$1\frac{1}{4}$	Stubby	\$0.55	\$1.10
2 Only	S401	$3\frac{1}{2}$	Pocket	.25	.50
2 Only	S402	$4\frac{1}{4}$	Cabinet	.40	.80
2 Only	S501	4	Mechanics	.50	1.00
2 Only	S502	5	Mechanics	.55	1.10
2 Only	S504	6	Heavy Duty	.90	1.80
12	Total Retail Value.....				\$6.30

(S38)

Per Asst.
F3566G X4D20★

One asst. in box. Wt. box 3 lbs.

OPEN STOCK


Each	Type	Length, ins	Wt. Box lbs.	Each
F3568G D3C0	(S402) Cabinet	$4\frac{1}{4}$	$1\frac{1}{8}$.40
F3570G D3C5	(S501) Mechanic	4	$1\frac{1}{2}$.50
F3572G D6C0	(S504) Heavy Duty	6	3	.85

No. S401 twelve in box All others six in box.

Missing page(s)

SCREW DRIVERS

HANDY



Tool steel blade. Hardened, tempered and polished. Amber unbreakable shockproof corrugated handle with steel nickel plated pocket clip.

Length of blade $2\frac{1}{2}$ inches. Diameter $\frac{1}{8}$ inch. Length over all 4 inches.


Twenty-four mounted on an attractive counter display card $11\frac{1}{2} \times 15\frac{1}{2}$ inches.

(1400C/24)

Per Card Each
F3715G X1D20★.....\$0.10

One card in box. Wt. box $1\frac{3}{4}$ lbs.

FULLER



Short or Plug

Designed for cramped quarters where considerable twisting power is needed.

Tempered steel blade, bright finish, firmly embedded in handle and will not turn or pull out. Transparent amber color, unbreakable corrugated handle.

Length of blade $1\frac{1}{4}$ inches, handle $1\frac{1}{8}$ inches, over all $3\frac{1}{2}$ inches.

Each Each
F3678G (803) D2C8★.....\$0.45

Thirty-six in box. Wt. box 3 lbs.



GENERAL

Jewelers

In Plastic Container

Consists of one No. 600 Jeweler's screwdriver body and five replaceable screwdriver blades.

Sizes 0, 1, 2, 3 and 4.


(605/S)

Per Set Per Set
F3671G X1D00.....\$1.50

Six sets on display card
Wt. card $\frac{3}{4}$ lb.

HOLD-E-ZEE

Blades are chromium vanadium steel, hexagon in shape, tempered the entire length for toughness and springiness. Hand ground bits. Patented spring action gripper instantly holds, starts and sets up any size screw in unhandy places. Special spring steel fingers hold tightly with instant release. Gripper automatically slides out of the way, giving full use as a regular screw driver. Unbreakable handle is transparent amber material, giving perfect insulation. Hexagon shape makes for sure grip with greasy or sweaty hands. Assortment contains 17 only screw drivers, 7 of which are mounted on attractive easel display card.



Contents:

Quantity	Nos.	Length Blade, inches	Length Over All, inches	Shank Diameter, inches	Each
1	F3593G (TH6)	6	10	$\frac{5}{16}$	1.50
3	F3598G (TS4)	4	$8\frac{1}{4}$	$\frac{1}{8}$.90
3	F3599G (TS7)	7	$11\frac{1}{4}$	$\frac{1}{8}$.95
3	F3565G (R2)	2	$4\frac{1}{8}$	$\frac{5}{32}$.50
3	F3595G (TR4)	4	$7\frac{1}{4}$	$\frac{5}{32}$.80
3	F3596G (TR6)	6	$9\frac{5}{8}$	$\frac{5}{32}$.85
1	F3597G (TR8)	8	$11\frac{5}{8}$	$\frac{5}{32}$.90

(D17)

Per Asst. ▲ Per Asst.
F3497G X9D60★.....\$14.40

One asst. in ctn. Wt. ctn. $3\frac{1}{2}$ lbs.


REFILLS

Each		Length Blade, ins.	Weight Box, lbs.	▲ Each
F3593G	X1D00 (TH6)	6	$1\frac{1}{4}$	\$1.50
F3594G	X1D07 (TH8)	8	3	1.00
F3598G	D6C0★ (TS4)	4	$1\frac{1}{2}$.90
F3599G	D6C3★ (TS7)	7	$1\frac{1}{8}$.95
F3565G	D3C3★ (R2)	2	$\frac{5}{8}$.50
F3595G	D5C3★ (TR4)	4	$\frac{3}{4}$.80
F3596G	D5C7★ (TR6)	6	1	.85
F3597G	D6C0 (TR8)	8	$\frac{1}{2}$.90

Six in box, except No. R2, which is twelve

STAR ★ DENOTES BEST SELLER

BRIDGEPORT



Cushion Grip

Tested and acclaimed by electricians, automotive and industrial mechanics—check these features:

1. Non-slip grip.
2. Oil and water resistant neoprene rubber covered plastic handle.
3. Bolster blade, winged shank.
4. Finest alloy steel, beautifully finished.
5. Precision cross-ground point.
6. Hammer-proof.
7. Shock-proof.

Permanent colorful merchandiser display $11 \times 14 \times 4$ in.

Displays one each of 4 basic types—Round mechanics, Electricians, Square mechanics and Super hard Phillips.

Sizes listed on display board.

24 Screw Drivers

Consists of:

Qty.	No.	Size in.	Type	Each
4	2143	4	Mechanics Round Blade	\$1.25
3	2143	6	Mechanics Round Blade	1.50
1	2143	8	Mechanics Round Blade	1.50
3	2243	3	Electricians.....	1.00
3	2243	6	Electricians.....	1.05
3	2343	4	Mechanics Square Blade	1.40
2	2343	6	Mechanics Square Blade	1.80
1	2343	8	Mechanics Square Blade	1.80
2	2501	3	Phillips No. 1 Point....	1.00
2	2502	4	Phillips No. 2 Point....	1.30

Display Board....FREE

Per Assortment Per Assortment
FX-2700-G X21D44.....\$32.15

REFILLS

For FX-2700-G Screw Driver Asst.

Each		Size in.	Wt. Box lbs.	Each
Mechanics—Round Blade				
F-3610-G	D8C3 (2143/4)	4	$1\frac{1}{2}$	\$1.25
F-3611-G	X1D00 (2143/6)	6	$2\frac{1}{2}$	1.50
F-3612-G	X1D27 (2143/8)	8	$3\frac{1}{2}$	1.99
Electricians				
F-3613-G	D6C7 (2243/3)	3	1	1.00
F-3614-G	D7C0 (2243/6)	6	$1\frac{3}{4}$	1.05
Mechanics—Square Blade				
F-3615-G	D9C3 (2343/4)	4	$1\frac{3}{4}$	1.40
F-3616-G	X1D20 (2343/6)	6	$2\frac{3}{4}$	1.80
F-3617-G	X1D47 (2343/8)	8	4	2.20
Super Hard Phillips No. 1 Point				
F-3618-G	D6C7 (2501/3)	3	1	1.00
Super Hard Phillips No. 2 Point				
F-3619-G	D8C7 (2502/4)	4	4	1.30

Six in box.

SCREW DRIVER ASSORTMENTS

FULLER

Golden Hundred

Carded, priced and color coded. High carbon steel, oil tempered and hardened, cadmium blades. Blister-proof domes, amber handles.

100 Top-Selling Screw Drivers for Every Job

Heavy metal hang-up rack 19 $\frac{3}{4}$ x28 in. with versatile display features. Use on $\frac{1}{4}$ in. peg board (2 hangers supplied free.)

Will fit all store columns. Hang on wall near cash register for impulse sales. Will hinge over regular shelves (2 screw eyes supplied free).

Assortment Contains:

Free Display Stand & 4 Each of 25 Items Listed Below Under Open Stock

Per Asst.

FX-100SS-G X34D80.....

▲ Per Asst.

\$54.96

One asst. in ctn. Wt. ctn. 22 lbs.

OPEN STOCK

For Screw Driver Assortment FX-100SS-G

Each	Type	Size Blade	No. in ctn.	Wt. Ctn. lbs.	Each
F3664G (504SS)	D6C3★ Heavy Duty Keystone Tip.....	6x $\frac{3}{16}$	6	2	\$1.00
F3704G (403SS)	D3C2★ Cabinet Parallel Tip.....	6x $\frac{3}{16}$	12	1 $\frac{1}{2}$.50
F3663G (502SS)	D4C1★ Mechanic Keystone Tip.....	5x $\frac{1}{4}$	12	2 $\frac{1}{4}$.65
F3662G (501SS)	D3C5★ Mechanic Keystone Tip.....	4x $\frac{1}{4}$	12	2	.55
F3654G (402SS)	D2C8★ Cabinet Parallel Tip.....	4x $\frac{3}{16}$	12	1 $\frac{3}{8}$.45
F3661G (500SS)	D4C1★ Stubby Keystone Tip.....	1 $\frac{1}{4}$ x $\frac{1}{4}$	12	1 $\frac{1}{2}$.65
F3682G (809SS)	D4C4★ Stub Point No. 2 Recessed, Fits No. 4 to No. 10 Screws.....	1 $\frac{1}{2}$ x $\frac{1}{4}$	12	1 $\frac{1}{2}$.70
F3680G (807SS)	D4C4★ Point No. 1 Recessed, Fits No. 4 or smaller Screws.....	3x $\frac{3}{16}$	12	1 $\frac{1}{4}$.70
F3681G (808SS)	D4C7★ Point No. 2 Recessed, Fits No. 4 to No. 10 Screws.....	4x $\frac{1}{4}$	12	2 $\frac{1}{4}$.75
F3653G (401SS)	D1C6★ Pocket with clip, Parallel Tip.....	3 $\frac{1}{2}$ x $\frac{1}{8}$	12	$\frac{1}{2}$.25
F3702G (904SS)	D4C1 Square Shank.....	4x $\frac{3}{16}$	12	1 $\frac{3}{8}$.65
F3703G (905SS)	D5C1 Square Shank.....	5x $\frac{1}{4}$	12	2 $\frac{1}{4}$.80
F3678G (803SS)	D2C8 Stubby Keystone Tip.....	1 $\frac{1}{4}$ x $\frac{1}{4}$	12	2	.45
F3676G (801SS)	D1C2★ Pocket with clip.....	2 $\frac{3}{8}$ x $\frac{1}{8}$	24	1	.19
F3495G (810SS)	D1C9★ Cabinet Parallel Tip.....	4x $\frac{3}{16}$	12	1	.30
F3677G (802SS)	D2C5★ All Purpose Keystone Tip.....	4x $\frac{1}{4}$	12	2	.40
F3701G (802ESS)	D2C5 Electrician Parallel Tip.....	6x $\frac{3}{16}$	12	2	.40
F3692G (829SS)	D3C5★ Mechanic Keystone Tip.....	6x $\frac{1}{4}$	12	2 $\frac{1}{2}$.55
F3685G (830SS)	D5C4 Heavy Duty Keystone Tip.....	6x $\frac{5}{16}$	6	2	.85

Amber Coated Hammer-Proof Handles


F3688G (707SS)	D3C2 Mechanics.....	6x $\frac{1}{4}$	12	2	.50
F3686G (703SS)	D2C5 Electrician.....	5x $\frac{3}{16}$	12	1 $\frac{1}{2}$.40
F3687G (706SS)	D2C8 Mechanics.....	4x $\frac{1}{4}$	12	1 $\frac{3}{4}$.45
F3690G (728SS)	D3C5 Point No. 2 Recessed.....	4x $\frac{1}{4}$	12	2	.45
F3689G (727SS)	D3C2 Point No. 1 Recessed.....	3x $\frac{3}{16}$	12	1 $\frac{1}{4}$.50
F3691G (729SS)	D3C5 Stub Point No. 2 Recessed.....	1 $\frac{1}{2}$ x $\frac{1}{4}$	12	1 $\frac{1}{2}$.55

STAR ★ DENOTES BEST SELLER

PANEL #1

SCREWDRIVERS • AWL • TACK CLAW

(Left to right and top to bottom)




No.	Description	Packing	Weight	Retail Each	Dealer's Cost Each
Screwdrivers					
801	Pocket	6 ea.	¼ lb.	\$.19	\$.12
803	Stubby	6 ea.	1 lb.	.45	.28
810	Cabinet	6 ea.	½ lb.	.30	.19
490	Tack Puller	6 ea.	1 lb.	.49	.31
985	Scratch Awl	6 ea.	¾ lb.	.35	.22
Screwdrivers					
802	All Purpose	6 ea.	1 lb.	.40	.25
802E	Electrician	6 ea.	1 lb.	.40	.25
829	Mechanic	6 ea.	1¼ lbs.	.55	.35
830	Heavy Duty	6 ea.	2 lbs.	.85	.54
707	Mechanic	6 ea.	1 lb.	.50	.32
706	Mechanic	6 ea.	7/8 lb.	.45	.28
728	#2 Rec.	6 ea.	1 lb.	.55	.35
727	#1 Rec.	6 ea.	¾ lb.	.50	.32
729	#2 Rec. Stub	6 ea.	¾ lb.	.55	.35

PANEL #2

PLIERS

(Left to right and top to bottom)




No.	Description	Packing	Weight	Retail Each	Dealer's Cost Each
70	Engineers	4 ea.	1¾ lbs.	\$1.19	\$.75
74	Long Nose	4 ea.	1 lb.	1.19	.75
64	Nippers	4 ea.	1¾ lbs.	1.19	.75
192-5½"	Long Nose	2 ea.	½ lb.	1.98	1.25
192-6½"	Long Nose	2 ea.	5/8 lb.	1.98	1.25
190-5"	Diag. Cutter	2 ea.	¾ lb.	1.98	1.25
190-6"	Diag. Cutter	2 ea.	1 lb.	1.98	1.25
194-8"	Lineman's	2 ea.	1½ lbs.	2.30	1.39
194-7"	Lineman's	2 ea.	1¼ lbs.	2.20	1.46
184	Insulated Long Nose	6 ea.	4½ lbs.	2.20	1.39

MR. HARDWARE DEALER: FULLER TOOLS GIVE YOU 58% MARK-UP

PANEL #3

SCREWDRIVERS

(Left to right and top to bottom)




No.	Description	Packing	Weight	Retail Each	Dealer's Cost Each
401	Pocket	6 ea.	¼ lb.	\$.25	\$.16
501	Mechanics	6 ea.	1 lb.	.55	.35
807	#1 Rec.	6 ea.	¾ lb.	.70	.44
456	#1 Rec. RG	6 ea.	1 lb.	.85	.54
452	RG Cabinet	6 ea.	1 lb.	.70	.44
402	Cabinet	6 ea.	¾ lb.	.45	.28
500	Stubby	6 ea.	¾ lb.	.65	.41
809	#2 Rec. Stubby	6 ea.	¾ lb.	.70	.44
457	#2 Rec. RG	6 ea.	1¼ lbs.	.95	.60
454	RG Mechanics	6 ea.	1¼ lbs.	.80	.51
504	Heavy Duty	6 ea.	2 lbs.	1.00	.63
502	Mechanics	6 ea.	1¼ lbs.	.65	.41
808	#2 Rec.	6 ea.	1¼ lbs.	.75	.47
459	RG Heavy Duty	6 ea.	2¼ lbs.	1.15	.73
453	RG Electricians	6 ea.	1¼ lbs.	.75	.47

PANEL #4

CHISELS • FILES

(Left to right and top to bottom)



No.	Description	Packing	Weight	Retail Each	Dealer's Cost Each
840	½" Chisel	6 ea.	1¼ lbs.	\$.70	\$.44
841	¾" Chisel	6 ea.	1½ lbs.	.70	.44
842	1" Chisel	6 ea.	1¾ lbs.	.70	.44
Files					
155-6"	Round	6 ea.	¾ lb.	.45	.28
151-6"	Mill Bastard	6 ea.	1¼ lbs.	.45	.28
158-6"	X Slim Taper	6 ea.	¾ lb.	.45	.28
159-7"	XX Slim Taper	6 ea.	¾ lb.	.50	.32
155-8"	Round	6 ea.	1¼ lbs.	.55	.35
151-10"	Mill Bastard	6 ea.	3½ lbs.	.70	.44
151-8"	Mill Bastard	6 ea.	2 lbs.	.55	.35
160-8"	½" Round Bastard	6 ea.	2½ lbs.	.95	.60

Made in U.S., England, Portugal, Italy to rigid Fuller specifications. Branded and guaranteed by Fuller Tool Co., Inc., U.S.A.

FULLER TOOL COMPANY, INC.

World's largest producers of unbreakable amber handle tools • 3522 Webster Avenue, New York 67

*the most modern display
merchandise in the hardware trade!*

FULLER'S NEW
SELF-SERVICE

TOOL- A-MAT

PATENT APPLIED FOR

for fast sales....big profits



- * 100 tools — **50** different kinds! — (two each)
Mechanics' quality at homeowners' prices!
- * Screwdrivers, Pliers, Files, Chisels, etc.
- FULLY GUARANTEED!**
- * Service policy with automatic inventory control!
- * Visual stock control — picture under every peg!
- * Carded and pre-priced!

TOOL-A-MAT

Assortment #1

consisting of 2 cartons
(1 with tools, 1 with rack)
weight 40 lbs.

it revolves!

TOTAL RETAIL LIST
DEALER'S COST
ACTUAL PROFIT

plus
Automatic Display Rack
(A \$30.00 Value)


\$84⁶⁴
53⁶⁰
31⁰⁴
FREE

Tool-A-Mat
Assortment #1
is only 60" high
and occupies
just 15" x 15"
of space

BUT I HAVE
NO MORE ROOM!
HA
ME
TH



AND SO LATER



MR. HARDWARE
ALL STANDARD
GIVE YOU 58%

- ✓ **VISUAL STOCK**
- ✓ **SERVICE POLICY**
- ✓ **AUTOMATIC INVENTORY**

What they mean

Your jobber salesman the
Policy **guaranteeing** that
they are sold and keep y
times. Thus, your inventory

MR. DEALER

FULLER TOOL

OPEN STOCK REFILLS ON REVERSE SIDE

World's largest producers of unbreakable amber handle tools

Missing page(s)

Missing page(s)

TOOL KITS

FULLER

Each Set in Strong, See-Thru Vinyl Tool Pouch

DISPLAY ASSORTMENT



Three each of the eight Fuller Tool kits (Nos. 80, 81, 82, 83, 84, 85, 86 and 87) shown on this page. Entire assortment packed in a colorful counter display carton.

Per Asst. Per Asst.
FX-88A-G X14D08 \$21.12
 One asst. in ctn. Wt. ctn. 10 lbs.


FIVE-PIECE KNIFE-SAW SET



Includes large pistol grip handle, two razor sharp knife blades, 18-tooth saw blade and 24-tooth saw blade.

Each Each
F1603G (80) D5C9 \$0.88
 Six in ctn. Wt. ctn. 2½ lbs.

TWO-PIECE FILE SET



Includes 10½ inch rotary mower file and 7-inch taper saw file.

Each Each
F1604G (81) D5C9 \$0.88

TWO-PIECE SCREWDRIVER SET
Jumbo Extra Heavy Duty

Includes 8 inch and 6 inch tempered steel blade screwdrivers with unbreakable amber handles.

Each Each
F1605G (82) D5C9 \$0.88
 Six in ctn. Wt. ctn. 4 lbs.


SIX-PIECE HAMMER-SCREWDRIVER SET



Includes Sure-Grip plastic handle, strong chuck, handy tack hammer, midget screwdriver blade, tack puller, regular screwdriver blade, and screw starter.

Each Each
F1606G (83) D5C9 \$0.88
 Six in ctn. Wt. ctn. 2 lbs.


TWO-PIECE CHISEL SET



Includes ½ and 1-inch cut extra sharp tempered steel chisels with hammerproof handles.

Each Each
F1608G (84) D5C9 \$0.88

COMBINATION PLIER



Drop-forged tempered steel side cutter pliers.

Each Each
F1609G (85) D5C9 \$0.88
 Six in ctn. Wt. ctn. 2¼ lbs.

SIX-PIECE SCREWDRIVER SET

All-Purpose Household




Includes one each of six sizes of tempered steel blade screwdrivers with unbreakable amber handles.

Each Each
F1607G (86) D5C9 \$0.88
 Six in ctn. Wt. ctn. 2¼ lbs.

FIVE-IN-ONE TOOL SET

All Purpose Screw Driver Bits



Includes unbreakable amber handle, strong chuck, one each of three sizes of slotted screwdriver bits, one recessed head screw driver bit and screw starter.

Each Each
F1610G (87) D5C9 \$0.88

Missing page(s)

TOOL ASSORTMENT

TOOL-A-MAT

Per Asst.

Per Asst.

FX-1-G

X53D60..... \$84.64

Packed in two ctns. Wt. 40 lbs.

TOOL KITS

FULLER

Each Set in Strong, See-Thru Vinyl Tool Pouch

DISPLAY ASSORTMENT



Three each of the eight Fuller Tool kits (Nos. 80, 81, 82, 83, 84, 85, 86 and 87) shown on this page. Entire assortment packed in a colorful counter display carton.

Per Asst. Per Asst.
FX-88A-G X14D08 \$21.12
 One asst. in ctn. Wt. ctn. 10 lbs.

FIVE-PIECE KNIFE-SAW SET



Includes large pistol grip handle, two razor sharp knife blades, 18-tooth saw blade and 24-tooth saw blade.


Each Each
F1603G (80) D5C9 \$0.88
 Six in ctn. Wt. ctn. 2½ lbs.

TWO-PIECE FILE SET



Includes 10½ inch rotary mower file and 7-inch taper saw file.

Each Each
F1604G (81) D5C9 \$0.88

TWO-PIECE SCREWDRIVER SET
Jumbo Extra Heavy Duty

Includes 8 inch and 6 inch tempered steel 11-de screwdrivers with unbreakable amber handles.

Each Each
F1605G (82) D5C9 \$0.88
 Six in ctn. Wt. ctn. 4 lbs.


SIX-PIECE HAMMER-SCREWDRIVER SET



Includes Sure-Grip plastic handle, strong chuck, handy tack hammer, midget screwdriver blade, tack puller, regular screwdriver blade, and screw starter.

Each Each
F1606G (83) D5C9 \$0.88
 Six in ctn. Wt. ctn. 2 lbs.


TWO-PIECE CHISEL SET



Includes ½ and 1-inch cut extra sharp tempered steel chisels with hammerproof handles.

Each Each
F1608G (84) D5C9 \$0.88

COMBINATION PLIER



Drop-forged tempered steel side cutter pliers.

Each Each
F1609G (85) D5C9 \$0.88
 Six in ctn. Wt. ctn. 2¼ lbs.

SIX-PIECE SCREWDRIVER SET

All-Purpose Household




Includes one each of six sizes of tempered steel 11-de screwdrivers with unbreakable amber handles.

Each Each
F1607G (86) D5C9 \$0.88
 Six in ctn. Wt. ctn. 2¼ lbs.

FIVE-IN-ONE TOOL SET

All Purpose Screw Driver Bits



Includes unbreakable amber handle, strong chuck, one each of three sizes of slotted screwdriver bits, one recessed head screw driver bit and screw starter.

Each Each
F1610G (87) D5C9 \$0.88

SCREW DRIVER ASSORTMENTS

FULLER

Golden Hundred


Carded, priced and color coded. High carbon steel, oil tempered and hardened, cadmium blades. Blister-proof domes, amber handles.

100 Top-Selling Screw Drivers for Every Job

Heavy metal hang-up rack 19 3/4 x 28 in. with versatile display features. Use on 1/4 in. peg board (2 hangers supplied free.)

Will fit all store columns. Hang on wall near cash register for impulse sales. Will hinge over regular shelves (2 screw eyes supplied free).

Assortment Contains:

4 Each of Fuller's 25 Best Selling Numbers
Includes 24 Phillips-Type Screw Drivers

Type	Each	Type	Each
F3364G-504SS Heavy Duty Keystone Tip	\$0.90	F3676G-801SS Pocket (Complete with clip)	\$0.15
F3704G-403SS Cabinet Parallel Tip	.45	F3495G-810SS Cabinet Parallel Tip	.25
F3663G-502SS Mechanic Keystone Tip	.55	F3677G-802SS All-purpose Keystone Tip	.35
F3662G-501SS Mechanic Keystone Tip	.50	F3701G-802ESS Electrician's Parallel Tip	.35
F3654G-402SS Cabinet Parallel Tip	.40	F3692G-829SS Mechanic Keystone Tip	.50
F3661G-500SS Stubby Keystone Tip	.50	F3685G-830SS Heavy Duty Keystone Tip	.75
F3682G-809SS Stub Point No. 2 Recessed			
Fit No. 4 to No. 10 Screw	.60		
F3680G-807SS Points No. 1 Recessed			
Fits No. 4 or smaller screws	.60		
F3681G-808SS Point No. 2 Recessed			
Fits No. 4 to No. 10 Screw	.65		
F3653G-401SS Pocket with Clip Parallel Tip	.25		
F3702G-904SS Square Shank	.60		
F3703G-905SS Square Shank	.75		
F3678G-803SS Stubby Keystone Tip	.40		

Amber Coated Hammer-Proof Handles

F3688G-707SS Mechanics	.45
F3686G-703SS Electrician	.35
F3687G-706SS Mechanic	.40
F3690G-728SS Point No. 2 Recessed	.45
F3689G-727SS Point No. 1 Recessed	.40
F3691G-729SS Stub Point No. 2 Recessed	.45

Heavy metal Stand-up or Hang-up Display

\$10.00 Value.....NO CHARGE

Per Asst.

▲ Per Asst.

FX-100SS-G X32D13

One asst. in ctn. Wt. ctn. 22 lbs.

\$48.20

OPEN STOCK

For Screw Driver Assortment FX-100SS-G

For Screw Driver Assortment FX-100SS-G				Size Blade	No. in	Wt. Ctn.	
Each	Type			in	ctn.	lbs.	Each
F3664G	D6C0★	(504SS)	Heavy Duty Keystone Tip.....	6x5 ⁵ / ₁₆	6	2	\$0.90
F3704G	D3C0★	(403SS)	Cabinet Parallel Tip.....	6x3 ³ / ₁₆	12	1½	.45
F3663G	D3C7★	(502SS)	Mechanic Keystone Tip.....	5x¼	12	2¼	.55
F3662G	D3C3★	(501SS)	Mechanic Keystone Tip.....	4x¼	12	2	.50
F3654G	D2C7★	(402SS)	Cabinet Parallel Tip.....	4x3 ³ / ₁₆	12	1 ³ / ₈	.40
F3661G	D3C3★	(500SS)	Stubby Keystone Tip.....	1¼x¼	12	1½	.50
F3682G	D4C0★	(809SS)	Stub Point No. 2 Recessed, Fits No. 4 to No. 10 Screws.....	1½x¼	12	1½	.60
F3680G	D4C0★	(807SS)	Point No. 1 Recessed, Fits No. 4 or smaller Screws.....	3x3 ³ / ₁₆	12	1¼	.60
F3681G	D4C4★	(808SS)	Point No. 2 Recessed, Fits No. 4 to No. 10 Screws.....	4x¼	12	2¼	.65
F3653G	D1C7★	(401SS)	Pocket with clip, Parallel Tip.....	3½x ¹ / ₈	12	½	.25
F3702G	D4C0	(904SS)	Square Shank.....	4x3 ³ / ₁₆	12	1 ³ / ₈	.60
F3703G	D5C0	(905SS)	Square Shank.....	5x¼	12	2¼	.75
F3678G	D2C7	(803SS)	Stubby Keystone Tip.....	1¼x¼	12	2	.40
F3676G	D1C0★	(801SS)	Pocket with clip.....	2 ³ / ₈ x ¹ / ₈	24	1	.15
F3495G	D1C7★	(810SS)	Cabinet Parallel Tip.....	4x3 ³ / ₁₆	12	1	.25
F3677G	D2C3★	(802SS)	All Purpose Keystone Tip.....	4x¼	12	2	.35
F3701G	D2C4	(802ESS)	Electrician Parallel Tip.....	6x3 ³ / ₁₆	12	2	.35
F3692G	D3C0★	(829SS)	Mechanic Keystone Tip.....	6x¼	12	2½	.50
F3685G	D5C0	(830SS)	Heavy Duty Keystone Tip.....	6x5 ⁵ / ₁₆	6	2	.75

Amber Coated Hammer-Proof Handles

F3688G	D3C0 (707SS)	Mechanics	6x1/4	12	2	.45
F3686G	D2C4 (703SS)	Electrician	5x3/16	12	1 1/2	.35
F3687G	D2C7 (706SS)	Mechanics	4x1/4	12	1 3/4	.40
F3690G	D3C0 (728SS)	Point No. 2 Recessed	4x1/4	12	2	.45
F3689G	D2C7 (727SS)	Point No. 1 Recessed	3x3/16	12	1 1/4	.40
F3691G	D3C0 (729SS)	Stub Point No. 2 Recessed	1 1/2 x 1/4	12	1 1/2	.45

STAR ★ DENOTES BEST SELLER

**Four-In-One Combination**

Hi-carbon cadmium steel blades. Heavy aluminum knurled chuck takes all blades. Two-tone unbreakable amber handle, holds blade.


Consists of one each blades—No. 2 recessed for cross head screws, 1/8 inch diameter for fine work, 3/16 inch diameter for electrical and cabinet work and 1/4 inch for regular work.

One on attractive card.

(40)

Each F3626G D6C7★ Each \$0.98

Six cards in box. Wt box 1 1/2 lbs.

**Screw Holder**

Spring clip holds and sets screws tightly. For spots hard to reach. Holds screw to driver. High carbon cadmium steel blades. Shock-proof amber handles with blisterproof dome.

Set of six mounted on attractive display card as follows:

Quantity	No.	Size Blade in.	Retail Each
1	F3695G-411	3 1/2 x 1/8	\$0.30
2	F3696G-412	4 x 3/16	.45
2	F3697G-413	6 x 3/16	.50
1	F3698G-414	8 x 3/16	.55


Set of Six (410)

Per Set F3694G X1D83 Per Set \$2.75
One set on card in box. Wt. box 1 lb.

OPEN STOCK

Each	Blade in.	Each
F3695G D2D0 (411)	3 1/2 x 1/8	.30
F3696G D3D0 (412)	4 x 3/16	.45
F3697G D3D3 (413)	6 x 3/16	.50
F3698G D3D7 (414)	8 x 3/16	.55
F3699G D4D0 (420)	No. 1-4 x 3/16 (Phillips Type)	.66

Six in box.

SCREW DRIVERS

Tough shock proof amber handle. Hardened tempered tool steel blades. Assortment of 24 screw drivers on attractive display card.

Quantity	Nos.	List price, Each	Retail Value
6	F3676G-801SS—2 3/8 in.	\$0.15	\$0.90
6	F3495G-810SS—4 1/4 in.	.25	1.50
6	F3677G-802SS—4 in.	.35	2.10
6	F3696G-829SS—6 in.	.50	3.00
			\$7.50

(X877)

Per Asst. F3600G X5D00★ Per Asst. \$7.50

One asst. in box. Wt. box 4 lbs.

OPEN STOCK

Each	Lgth., Blade, ins.	Diam., Blade, ins.	Wt. Box, lbs.	Each
F3676G D1C0★ (801SS)	2 3/8	1/8	3	\$0.15
F3677G D2C3★ (802SS)	4	1/4	2	.35
F3495G D1C7★ (410SS)	4 1/4	3/16	1	.25
F3692G D3C0★ (829SS)	6	1/4	2 1/2	.45

No. 801 twenty-four, other Nos. twelve in box

**Double Duty—Reversible**


A perfect driver for all mechanics. Change from regular to recess driver in a jiffy.

Oil tempered high carbon steel blade with regular full ground bit on one end and cross cut tip to take Phillips recessed head screws on the other. Extra large fire-safe unbreakable amber handle. Strong chuck.

Length over all 6 3/4 inches.

Each	Size Screws, Nos.	Wgt. Box, lbs.	Each
F3646G D5C3 (224)	14 or smaller	1 1/4	\$0.70

One mounted on card. Six in box

BRIDGEPORT**Cushion Grip**

Tested and acclaimed by electricians, automotive and industrial mechanics—check these features:

1. Non-slip grip.
2. Oil and water resistant neoprene rubber covered plastic handle.
3. Bolster blade, winged shank.
4. Finest alloy steel, beautifully finished.
5. Precision cross-ground point.
6. Hammer-proof.
7. Shock-proof.

Permanent colorful merchandiser display 11x14x4 in.

Displays one each of 4 basic types—Round mechanics, Electricians, Square mechanics and Super hard Phillips.

Sizes listed on display board.

24 Screw Drivers

Consists of:

Qty.	No.	Size in.	Type Screwdriver	Each
4	2143	4	Mechanics Round Blade	\$1.25
3	2143	6	Mechanics Round Blade	1.50
1	2143	8	Mechanics Round Blade	1.50
3	2243	3	Electricians	1.00
3	2243	4	Electricians	1.05
3	2343	4	Mechanics Square Blade	1.40
2	2343	6	Mechanics Square Blade	1.80
1	2343	8	Mechanics Square Blade	1.80
2	2501	3	Phillips No. 1 Point	1.00
2	2502	4	Phillips No. 2 Point	1.30

Display Board... FREE

Per Assortment FX-2700-G X21D44... \$32.15

Refills**For FX-2700-G Screw Driver Asst.**

Each	Size in.	Wt. Box, lbs.	Each
Mechanics—Round Blade			
F-3610-G	D8C3 (2143/4)	4 1 1/2	\$1.25
F-3611-G	X1D00 (2143/6)	6 2 1/2	1.50
F-3612-G	X1D27 (2143/8)	8 3 1/2	1.99
Electricians			
F-3613-G	D6C7 (2243/3)	3 1	1.00
F-3614-G	D7C0 (2243/6)	6 1 3/4	1.05
Mechanics—Square Blade			
F-3615-G	D9C3 (2343/4)	4 1 3/4	1.40
F-3616-G	X1D20 (2343/6)	6 2 3/4	1.80
F-3617-G	X1D47 (2343/8)	8 4	2.20
Super Hard Phillips No. 1 Point			
F-3618-G	D6C7 (2501/3)	3 1	1.00
Super Hard Phillips No. 2 Point			
F-3619-G	D8C7 (2502/4)	4 4	1.30

Six in box.

STAR ★ DENOTES BEST SELLER

SCREW DRIVER AND WOOD CHISEL ASSORTMENTS

FULLER



Basic assortment of popular priced items on a permanent metal display rack, turns unused wall space into profitable selling spaces.

Assortment covers the need of every customer. All items made of high carbon steel, oil tempered and hardened. Attractive amber handles are unbreakable, shock-proof and fire-resistant.

Assortment Contains:

3 Each of the 16 Fast Selling Tools Listed Below Under Open Stock

Per Asst.

FX-2160-SS-G X17D55

▲Per Asst.

\$27.72

One asst. in ctn. Wt. asst. 15 lbs.

OPEN STOCK

Carded

SCREWDRIVERS

Each	Type	Lgth., ins.	Wt. Box, lbs.	▲Each
F3653G (401SS) D1C6	Pocket	3¾	½	\$0.25
F3654G (402SS) D2C8	Cabinet	4¼	1¾	.45
F3661G (500SS) D4C1	Stubby	1¼	1½	.65
F3662G (501SS) D3C5	Mechanic	4	2	.55
F3663G (502SS) D4C1	Mechanic	5	2¼	.65
F3664G (504SS) D6C3	Heavy Duty	6	2	1.00

No. 504SS Six in box, other Nos. Twelve in box.

SCREWDRIVERS

Each	Lgth. Blade, ins.	Dia. Blade, ins.	Wt. Box, lbs.	Each
F3676G (801SS) D1C2	2¾	⅛	1	\$0.19
F3677G (802SS) D2C5	4	¼	2	.40
F3495G (810SS) D1C9	4¼	⅜	1	.30
F3692G (829SS) D3C5	6	¼	2½	.55

No. 801 twenty-four, other Nos. twelve in box.

FOR PHILLIPS RECESSED HEAD SCREWS

Each	Size	For Phillips Screws, Nos.	Lgth. Blade, ins.	Wt. Box, lbs.	▲Each
F3680G (807SS) D4C4	1	4 and smaller	3	1¼	\$0.70
F3681G (808SS) D4C7	2	4 to 10	4	2¼	.75
F3682G (809SS) D4C4	2 stub	4 to 10	1½	1½	.70

Twelve in box.

WOOD CHISELS


Length of blade 4¼ inches. Over all length 8 inches.

Each	Width Blade, in.	Weight Box lbs.	▲Each
F1347G (840) D4C4	½	2½	\$0.70
F1348G (841) D4C4	¾	2¾	.70
F1349G (842) D4C4	1	3	.70

Twelve in box.

SCREW DRIVER ASSORTMENTS

FULLER



**Super DeLuxe
Rubber Grip**

Unbreakable amber handles heavily coated with U. S. Rubber Co.'s top quality neoprene, oil and water resistance with comfortable, blister-proof grip. Precision-ground cadmium plated blades.

Screwdrivers carded and prepriced on two-tier stand-up, hang-up display stand. Hangs on counter, on wall or pegboard or swivels over shelf.

Assortment of 18

Consists of:

3 Each of the 7 Screw Drivers Listed Below Under Open Stock

Per Asst.		Per Asst.
61-435-G	X9D40	\$14.85

One asst. in ctn. Wt. ctn. 6 lbs.

OPEN STOCK

Each	Type	Tip	Size, in.	Wt. Ctn., lbs.	▲ Each
F3706G (452)	D4C4	Cabinet	Parallel	4x $\frac{3}{16}$	1 \$0.70
F3707G (453)	D4C7	Electrician	Parallel	6x $\frac{3}{16}$	1 $\frac{1}{4}$.75
F3708G (454)	D5C1	Mechanic	Keystone	4x $\frac{1}{4}$	1 $\frac{1}{4}$.80
F3709G (455)	D5C7	Heavy Duty	Keystone	6x $\frac{1}{4}$	1 $\frac{1}{2}$.90
F3710G (456)	D5C4	Recess Point	No. 2	3x $\frac{3}{16}$	1 .85
F3711G (457)	D6C0	Recess Point	No. 2	4x $\frac{1}{4}$	1 $\frac{1}{4}$.95
F3719G (459)	D7C3	Heavy Duty	Keystone	6x $\frac{3}{16}$	2 $\frac{1}{4}$ 1.15

Six in box



Extra large unbreakable handles. Hot forged cadmium steel blades.

Assortment of 60

Consists of:

Qty.	Size, in.	Type
10	6x $\frac{5}{16}$	Extra Heavy Duty
10	5x $\frac{1}{4}$	Heavy Duty
10	4x $\frac{1}{4}$	Mechanics
10	6x $\frac{3}{16}$	Electricians
10	5x $\frac{3}{16}$	Cabinet
5	No. 2	Recessed (Phillips Type)
5	No. 1	Recessed (Phillips Type)
Per Asst.		▲ Per Asst
61-329-G	X11D60	\$17.40

One asst. in ctn. Wt. ctn. 8 lbs.



Extra large unbreakable twist grip handles. Hot forged cadmium steel magnetized blades.

Assortment of 72


Consists of:

Qty.	Size, in.	Type
12	6x $\frac{1}{4}$	Heavy Duty
12	5x $\frac{1}{4}$	Mechanics
12	4x $\frac{1}{4}$	All Purpose
12	6x $\frac{3}{16}$	Electrician
12	5x $\frac{3}{16}$	Cabinet
6	No. 1	Recessed (Phillips Type)
6	No. 1	Recessed (Phillips Type)
Per Asst.		▲ Per Asst.
61-319-G	X9D12	\$13.68

One asst. in ctn. Wt. ctn. 8 lbs.

SCREW DRIVERS

FULLER



Unbreakable amber handle with heavy chuck to take seven sizes of blades, all in plastic roll kit.

Set consists of following blades:

- Point No. 2 Recessed
- Point No. 1 Recessed
- Electricians $\frac{3}{16}$ in.
- Mechanics $\frac{1}{4}$ in.
- Cabinet $\frac{1}{8}$ in.
- Scratch awl
- Wood chisel $\frac{1}{2}$ in. cut.

Per Set **F3679G (708) D6C9★** Δ Per Set \$1.10
Twelve sets in box. Wt. box 8 lbs.

FULLER



For Phillips Recessed Head Screws

Especially designed for use with Phillips recessed head screws. Bits are self-centering and will not slip or mar finishes.

Carbon steel blade, tempered and polished transparent amber color, unbreakable corrugated handle. Blade firmly embedded in handle and will not turn or pull out.

Each	Size	Phillips Screws, Nos.	Lgth. Blade, inches	No. in Box	Wt. Box, lbs.	Δ Each
F3680G (807)	D4C4	1	4 and Smaller	36	11 $\frac{1}{4}$	\$0.60
F3681G (808)	D4C7	2	4 to 10	12	2 $\frac{1}{4}$.65
F3682G (809)	D4C4	2 stub	4 to 10	1 $\frac{1}{2}$	12	1 $\frac{1}{2}$.60

STANLEY



For Phillips Recessed Head Screws and Bolts


Tempered polished steel blades held in the handle by two ear swaged on the shank. Handles are of hardwood, natural color and deeply fluted. Four sizes of these drivers will drive the entire range of Phillips screws and bolts. Sizes 2 and 3 will take care of more than three-fourth of all screws used.

Each	Point Size	Fits Phillips Screws	Lgth. Blade inches	Wt. Box, lbs.	Δ Each
F3716G D3C3 (2701)	1	No. 4 and Smaller	3	$\frac{7}{8}$	\$0.50
F3717G D4C0 (2702)	2	No. 5 to 9	4	1 $\frac{1}{2}$.60
F3718G D4C9 (2703)	3	No. 10 to 16	6	2	.74

Six in box.

HOLD-E-ZEE

BIT FITS BOTH TYPES
RECESSED HEAD SCREWS



Finest chrome vanadium steel hexagon blade tempered entire length. High impact transparent plastic handle of concave sure-grip design gives perfect insulation. Patented Hold-E-Zee gripper for holding screws, recedes into handle.

Regular— $\frac{5}{32}$ inch Blade

Each	Length Blade, inches	Length Over All, inches	Weight Box, lbs.	Δ Each
F3559G D5C5 (PR2)	2	4 $\frac{5}{8}$	$\frac{1}{2}$	\$0.80
F3560G D6C2 (PR4)	4	7 $\frac{1}{4}$	$\frac{5}{8}$.95
F3561G D6C7 (PR6)	6	9 $\frac{1}{2}$	$\frac{3}{4}$	1.00

Stubby— $\frac{7}{32}$ inch Blade

Each	Length Blade, inches	Length Over All, inches	Weight Box, lbs.	Δ Each
F3562G D7C0 (PS2)	2	4 $\frac{1}{2}$	1	1.05
F3563G D7C0 (PS4)	4	8	1 $\frac{1}{8}$	1.05
F3564G D7C3 (PS7)	7	11	1 $\frac{1}{2}$	1.10

Six in four color counter display box

SCREW DRIVER ASSORTMENTS



HOLD-E-ZEE

For Recessed Head Screws

Attractive display card $7\frac{1}{2} \times 11\frac{1}{2}$ inches with easel back and hole for hanging. Nos. PR2, PR4, PS4 and PS7 mounted on card, balance in an attractive box.

Contents:

Quantity	Nos.	List
3	F3559G-PR2.....	\$0.80
3	F3560G-PR4.....	.95
3	F3561G-PR6.....	1.00
1	F3562G-PS2.....	1.05
1	F3563G-PS4.....	1.05
1	F3564G-PS7.....	1.10

Assortment of Twelve
(PD12)

Per Asst. **F3498G X7D70** Δ Per Asst. \$11.55
Wt. asst. 2 $\frac{1}{4}$ lbs. One asst. in corrugated container

SCREW DRIVER SIZES

Table of Screw Driver and Bit Sizes to fit
Phillips Recessed Head Screws for Wood Screws

Flat and Oval Head				
Screw Diameter Nos....	4 and Smaller	5 to 9 inc.	10 to 16 inc.	18 to 24 inc.
Use Driver or Bit Size ..	No. 1	No. 2	No. 3	No. 4
Round Head				
Screw Diameter Nos....	4 and Smaller	5 to 10 inc.	11 to 16 inc.	18 to 24 inc.
Use Driver or Bit Size..	No. 1	No. 2	No. 3	No. 4